

United States Department of the Interior
National Park Service

National Register of Historic Places Registration Form

This form is for use in nominating or requesting determinations for individual properties and districts. See instructions in National Register Bulletin, *How to Complete the National Register of Historic Places Registration Form*. If any item does not apply to the property being documented, enter "N/A" for "not applicable." For functions, architectural classification, materials, and areas of significance, enter only categories and subcategories from the instructions. **Place additional certification comments, entries, and narrative items on continuation sheets if needed (NPS Form 10-900a).**

1. Name of Property

historic name Hull's Trace North Huron River Corduroy Segment

other names/site number Hull's Road, River Road, West Jefferson Avenue

2. Location

street & number [36000] West Jefferson Avenue

☐ not for publication

city or town Brownstown Township

☐ vicinity

state Michigan code MI county Wayne code 163 zip code 48173

3. State/Federal Agency Certification

As the designated authority under the National Historic Preservation Act, as amended,

I hereby certify that this X nomination request for determination of eligibility meets the documentation standards for registering properties in the National Register of Historic Places and meets the procedural and professional requirements set forth in 36 CFR Part 60.

In my opinion, the property X meets does not meet the National Register Criteria. I recommend that this property be considered significant at the following level(s) of significance:

X national statewide local

Signature of certifying official/Title

Date

MI SHPO

State or Federal agency/bureau or Tribal Government

In my opinion, the property meets does not meet the National Register criteria.

Signature of commenting official

Date

Title

State or Federal agency/bureau or Tribal Government

4. National Park Service Certification

I hereby certify that this property is:

 entered in the National Register

 determined eligible for the National Register

 determined not eligible for the National Register

 removed from the National Register

 other (explain:)

Signature of the Keeper

Date of Action

Hull's Trace North Huron River Corduroy
Segment

Name of Property

Wayne Co., MI

County and State

5. Classification

Ownership of Property

(Check as many boxes as apply.)

<input type="checkbox"/>	private
<input checked="" type="checkbox"/>	public - Local
<input type="checkbox"/>	public - State
<input type="checkbox"/>	public - Federal

Category of Property

(Check only **one** box.)

<input type="checkbox"/>	building(s)
<input type="checkbox"/>	district
<input type="checkbox"/>	site
<input checked="" type="checkbox"/>	structure
<input type="checkbox"/>	object

Number of Resources within Property

(Do not include previously listed resources in the count.)

Contributing	Noncontributing	
		buildings
		district
		site
1	1	structure
		object
1	1	Total

Name of related multiple property listing

(Enter "N/A" if property is not part of a multiple property listing)

N/A

Number of contributing resources previously listed in the National Register

0

6. Function or Use

Historic Functions

(Enter categories from instructions.)

Transportation/road-related (vehicular)

Current Functions

(Enter categories from instructions.)

Transportation/road-related (vehicular):

(archaeological feature beneath current highway)

7. Description

Architectural Classification

(Enter categories from instructions.)

Other: Corduroy road remnant

Materials

(Enter categories from instructions.)

foundation: N/A

walls: N/A

roof: N/A

other: Wooden logs

Hull's Trace North Huron River Corduroy
Segment
Name of Property

Wayne Co., MI
County and State

Narrative Description

(Describe the historic and current physical appearance of the property. Explain contributing and noncontributing resources if necessary. Begin with a **summary paragraph** that briefly describes the general characteristics of the property, such as its location, setting, size, and significant features.)

Summary Paragraph

The feature consists of a partially buried remnant of corduroy road, constructed by setting unsquared logs closely together at a right angle to the axis of the roadway. The exposed portion of the feature emerges from the northwest side of the embankment supporting a modern roadway, and extends in a discontinuous sequence over a distance of approximately 380 meters. The logs appear to be resting directly on the soil substrate, although a single log has been observed in the position of a lengthwise stringer supporting several crosswise logs at their outer ends. The logs are at or near water level, as the roadway and its embankment border a canal. Fluctuations in the water level of nearby Lake Erie cause variations in the submersion or exposure of the logs.

Narrative Description

The feature underlies West Jefferson Avenue, once known as the U. S. Turnpike and also as the Dixie Highway. The road of which it forms a part was surveyed and built along the shoreline connecting Detroit with Maumee, Ohio, often using existing pathways, at the beginning of the nineteenth century. At the location of the feature, West Jefferson Avenue is a two-lane asphalt highway. The embankment supporting the present roadway forms the overburden covering the feature. This embankment varies in thickness from approximately one meter at the northeast end of the feature to approximately two meters at its southwest end, where the roadway rises in approaching a bridge over the Huron River. The logs are well preserved, especially those that have remained submerged or buried in silt. Some clearly show marks of felling by axes. A total of 590 logs have been counted to date. The feature likely has been damaged since the digging of the Silver Creek Canal along part of the northwest side, by erosion of both the substrate and the overburden, with resultant exposure of the feature.

The character of the immediate area is rural and residential. Across the canal to the northwest from the feature is a small residential island with approximately twenty dwellings. Directly across Jefferson Avenue to the southeast from the feature is the River View unit of Wayne County Parks. It contains a boat ramp, fishing pier, and gazebo. South of the Huron River bridge, located just beyond the southwest end of the feature, is a marina with eighty slips. Immediately south of the marina is the Point Mouille State Game Area. Three miles northeast of the feature is Lake Erie Metropark, featuring a nature and interpretive center.

Hull's Trace North Huron River Corduroy
Segment

Name of Property

Wayne Co., MI

County and State

8. Statement of Significance

Applicable National Register Criteria

(Mark "x" in one or more boxes for the criteria qualifying the property for National Register listing.)

- ☒ A Property is associated with events that have made a significant contribution to the broad patterns of our history.
- ☐ B Property is associated with the lives of persons significant in our past.
- ☒ C Property embodies the distinctive characteristics of a type, period, or method of construction or represents the work of a master, or possesses high artistic values, or represents a significant and distinguishable entity whose components lack individual distinction.
- ☒ D Property has yielded, or is likely to yield, information important in prehistory or history.

Criteria Considerations

(Mark "x" in all the boxes that apply.)

Property is:

- ☐ A Owned by a religious institution or used for religious purposes.
- ☐ B removed from its original location.
- ☐ C a birthplace or grave.
- ☐ D a cemetery.
- ☐ E a reconstructed building, object, or structure.
- ☐ F a commemorative property.
- ☐ G less than 50 years old or achieving significance within the past 50 years.

Areas of Significance

(Enter categories from instructions.)

Military

Engineering

Archaeology: Historic-Non-Aboriginal

Period of Significance

1812-1825

Significant Dates

1812

1813

1825

Significant Person

(Complete only if Criterion B is marked above.)

N/A

Cultural Affiliation

N/A

Architect/Builder

N/A

Period of Significance (justification)

Date of initial construction to final date of road-building at the site under federal jurisdiction.

Criteria Considerations (explanation, if necessary)

Hull's Trace North Huron River Corduroy
Segment

Name of Property

Wayne Co., MI

County and State

N/A

Statement of Significance Summary Paragraph (Provide a summary paragraph that includes level of significance and applicable criteria.)

The corduroy road segment beneath Jefferson Avenue just north of the Huron River meets national register criterion A at the national level as a remnant – the only one thus far identified – of “Hull’s Trace” or Road, a 200-mile long military road hastily built in the summer of 1812 by troops under the command of American General William Hull to convey his army with its military supplies from southwestern Ohio north to Detroit. Hull’s march to garrison and resupply Detroit was to be followed by an attack on Fort Malden, the British stronghold downstream across the Detroit River from Detroit, part of a broader American plan developed at the beginning of the War of 1812 for a three-pronged invasion of British-held Canada. The corduroy road segment, built by Hull’s forces in late June or early July 1812, played a role in major events in the War of 1812 in the Old Northwest. It carried Hull’s supply wagons on their way to Detroit on the 4th of July, 1812. It likely carried the British force, with its equipment, that defeated the Americans in the second Battle of Frenchtown January 22, 1813, from and back to Fort Malden. It also likely carried Lt. Col. James Johnson’s force of mounted Kentucky riflemen, with their baggage wagons and artillery, on their way from Fort Meigs in Ohio to Detroit in late September 1813 to support Gen. William Henry Harrison’s attack on the British in western Ontario in the wake of Commodore Oliver H. Perry’s defeat of the British fleet controlling Lake Erie on September 10. The road segment meets national register criterion C as an intact example of corduroy road construction that may be unique in its overall length and meets criterion D for its potential to provide important information about corduroy road construction, about the pre-deposition landscape in the area, the structure’s use during the War of 1812, and the improvement and evolution of the feature into a modern roadway.

Narrative Statement of Significance (Provide at least **one** paragraph for each area of significance.)

Congress approved an act to establish the Territory of Michigan from Indiana Territory on January 11, 1805. President Jefferson appointed William Hull, a Revolutionary War hero, governor of the territory in March 1805. By 1807 the *Chesapeake* affair, the continuing impressments of seamen from American ships to serve the British navy, and the British Orders in Council that regulated trade by neutral powers with the European Continent raised tensions between America and Britain to new heights. In October 1807, because of the growing threat of war with Britain and with the Indians perceived to be allied with them, the secretary of war, William Eustis, appointed Governor Hull military commander of the territory, with authority over both the territorial militia and the regular army forces at Detroit.

When Michigan territory was created, there was no formal road connection between the new territory and the settled eastern and southern parts of Ohio. In December 1808 the territorial Legislative Council authorized the governor to appoint three commissioners “to lay out a road from the city of Detroit to the foot of the rapids of the river Miami [on the Maumee River south of present-day Perrysburg, Ohio], which enters into Lake Erie, of the width of one hundred and twenty feet, in the best and most convenient route, and to have the same surveyed under their direction by such surveyor as shall be appointed by the Governor...” (*Laws of the Territory of Michigan*, IV, 35-36). An 1812 document concerning “making and repairing the road on the course laid by the Commissioners, between the Rapids and Detroit,” makes it clear that the road was laid out (*Pioneer Society*, 8 (2nd ed.), 625). Nevertheless, it seems clear that little beyond marking a route took place. Farmer (925) describes the route between Detroit and the future site of Toledo prior to the War of 1812 as “a sort of a bridle-path which ran along the west bank of the Detroit and through the swamps....”

As the U. S. moved toward war with Britain early in 1812, the conquest of Canada was seen as a key objective. Prior to the American declaration of war on June 18, 1812, President Madison had approved a plan developed by General Henry Dearborn that called for “a three-pronged campaign against Montreal, the Niagara frontier, and the Detroit frontier” (Hickey, 80). Governor Hull was selected to command the western army. He received a formal appointment as a brigadier general in the U. S. Army in April 1812 (*Territorial Papers*, X, 5-7, 9-10, 136, 385 (note 62), 733). His orders were to raise a force to resupply and defend Detroit and to invade Canada.

Hull, who had spent the winter of 1811-12 in the east, arrived in Dayton, Ohio, on May 23 to take command of an army of about 2000 militia and regulars from Ohio and Kentucky. Through June and early July of 1812 the force cut a road

Hull's Trace North Huron River Corduroy
Segment

Wayne Co., MI

Name of Property

County and State

northward for conveying military supplies to Detroit, building blockhouses and garrisoning troops as they went. When necessary, at water crossings and swampy sections, the roadbed was stabilized using a common military engineering expedient – laying logs across the route and covering them with brush and earth. The army reached the rapids of the Maumee River, south of today's Toledo, Ohio, on June 29 and arrived at the River Raisin at Frenchtown (now Monroe, Michigan) on July 2 (Lucas, 17-18).

There is ample evidence that Hull's forces built segments of corduroy road as needed to cross swampy lands on the Michigan section of the road. An 1885 article, "The City of the Straits," by Henry A. Griffin in the *Magazine of Western History*, an early journal of military history, stated:

The evidences of this primitive and hurried engineering work are frequently revealed by the more perfect improvements of the present times. In draining, dredging, and railway construction sections of this, the first turnpike in the state of Michigan, are often brought to the surface. A new growth of timber has obliterated this highway where it followed the hard wood ridges, but the ash, elm, sycamore, and other soft woods felled to fill up the bogs and approaches to the streams, can easily be found to-day a few feet below the surface by those familiar with the route – almost as sound at heart as when they fell before the axes of Hull's hardy pioneers. And what a road it was when finished? A horseman of the present day would shrink in terror from its contemplation! But it served to convey the stores and ammunition that perforce must go on wheels, while the men who made up the expedition scorned roads of any kind for their personal convenience (Griffin, 580).

Dr. E. P. Christian in an 1888 article on early Wyandotte and vicinity reported the existence then of a corduroy crossing of Monguagon Creek south of Wyandotte that was believed to be part of Hull's road.

Across this creek on Mr. Payne's land are still to be seen the remains of a corduroy crossing said to have been constructed by Hull's army on the way from Dayton to Detroit, through a then almost unbroken wilderness. There can be little doubt that this is the case, as it is within an enclosed field back from the wide and deep water and flanking marsh nearer the mouth of the creek, and is where a crossing could more readily be constructed. Besides this, Mr. George Payne Sr., lately deceased at an advanced age, came to the Monguagon in 1831, when the facts connected with the history of the campaign and the war would be familiar with the numerous resident Indians as well as the comparatively few whites (Michigan Pioneer and Historical Society, *Historical Collections*, XIII (2nd ed.), 314).

This location is in section 5 of what was once Monguagon Township but is now Riverview.

Hull's army reached the Huron River during July 4, 1812. The journal of Robert Lucas, a participant in the campaign (and later Governor of the state of Ohio) states that the army that day had "marched but six miles being detained throwing a bridge over the river" (Lucas, 20), which McAfee's history described as only "40 feet wide, but very deep" (*History of the Late War in the Western Country*, 57).

William H. Powell, in an account of Hull's campaign published in *The United Service. A Monthly Review of Military and Naval Affairs* in 1889, stated that at the time, "The Indians from Brownstown came to the river [the Huron] in considerable numbers, appearing very friendly. Seeing heavy wagons cross the bridge, while the main body of the army was screened from their view by a piece of woods, they expressed their surprise that General Hull should think of capturing the Canadas with so many wagons and so few men; and were very curious, examining the wagons to ascertain if the army was packed away in them. ... The command crossed the bridge and encamped the same day..." (Powell, 244).

The nominated corduroy road segment crosses the swampy terrain just north of the bridge site. The army's camping place would likely have been on the dry ground north of the swamp rather than in it. For the wagons to have crossed the bridge on the 4th, the segment of corduroy road across the swamp just north of the bridge must have already been built. Hull's forces coming north may have built this piece of corduroy road as part of the work done on the 4th.

However, the corduroy road segment could also have been built a few days earlier by troops from Detroit under Captain Hubert LaCroix. On June 14, 1812, Major James Witherell, commandant at Detroit, ordered LaCroix to "cause a Detachment of at least one Subaltern, two Sergeants, two Corporals and thirty privates to be daily employed" in opening up the road between the Maumee rapids and Detroit to expedite the arrival of Hull's forces. "Perhaps it would be convenient for those stationed at Otter Creek to work in that direction, while the remainder are employed between the

Hull's Trace North Huron River Corduroy
Segment

Wayne Co., MI

Name of Property

County and State

River Raisin and the River Huron." He added, "As the pressure of so many loaded wagons will require a firm foundation, the bridges and causeways ought to be proportionally strong" (Pioneer Society, 8 (2nd ed.), 625). LaCroix's reports to Major Witherell note difficulties in prosecuting the work due to lack of tools and in locating the route laid out by the commissioners. In a report dated June 26 he stated, "I have had fifty men employed in cutting the road since Monday last, and from that this day I shall have eighty toward Detroit and thirty toward the Miami" (*Ibid.*, 630-31). Thus Captain LaCroix's forces could also have built the corduroy road segment during the latter part of June or early in July.

If it is unclear which troops built the road segment, it is clear the structure was built by or on July 4th since Hull's forces camped that evening north of the river. Rumors concerning a possible attack by the British from nearby Malden or by the Indians during the night arose "a little past sunset" on the 4th, and the troops remained under arms "by turns" throughout the night. The army marched early the next day, July 5, reaching Springwells, two miles short of Detroit, that day (Powell, 244; McAfee, 58).

Only a week after arriving in the Detroit area, on July 12, 1812, General Hull began his invasion of British territory with the intention first of capturing Fort Malden. The invasion accomplished little. Late in July news arrived that a force of 200 militia from Ohio commanded by Capt. Brush had arrived at Frenchtown, thirty-five miles south of Detroit, to reinforce and resupply Hull. They were waiting for reinforcements from Hull before proceeding further because of the threat from nearby British and their Indian allies. Gen. Hull sent 150 men under Major Thomas B. Van Horne August 4 to meet Brush's troops. The force was attacked by a larger force of Indians led by Tecumseh on the 5th near Brownstown, an Indian village located a short distance west of today's Gibraltar several miles north of the Huron River, and forced back to Detroit. On the 8th Hull sent a larger force totaling about 650 men under the command of Lt. Col. James Miller to meet Brush's troops. This force encountered British and Indians near the Indian village of Monguagon, south of today's Wyandotte. Following this second action on August 9, the American troops retreated to Detroit, carrying the wounded back in wagons brought from Detroit (presumably along Hull's road, but a part of it well north of the Huron crossing). Hull's army had already abandoned the invasion of Canada, evacuating British territory on the 7th and 8th (Hickey, 81-82; Lucas, 28-57). With Lake Erie controlled by the British and land communication between Detroit and territory to the south under American control also cut off, Hull's forces received no reinforcements or supplies. General Hull surrendered Detroit and the entire Michigan Territory to the British August 16, 1812 (Hickey, 81-84).

The nominated corduroy road segment north of the Huron probably played no role in these battles of Brownstown and Monguagon, since those battles took place north of the Huron, but it likely did see service in connection with British troop movements related to the second Battle of Frenchtown. The two Battles of Frenchtown on January 18 and 22, 1813, were the culmination of an unsuccessful American campaign of August 1812 to January 1813 to retake Detroit. In the wake of an initial American victory on the 18th, a force of 578 British troops from Fort Malden on the Canadian shore of the Detroit River (part of a larger force that also included Indians and Canadian volunteers) marched to Brownstown, crossing the river on the ice, on the 19th and 20th, and, presumably using the road, reached Frenchtown early on the morning of the 22nd (Naveaux, 126-27). Attacked at about daybreak on the 22nd, the Americans were caught unprepared and surrendered by the early afternoon (Naveaux, 154-58, 197), suffering in the two battles 398 deaths, including a reported thirty massacred by the Indians after the surrender – the largest American casualties of the War of 1812 (River Raisin Battlefield NHL draft, 9, quoting statistics from T. H. Palmer, *The Historical Register of the United States, Part II*, 195). The British troops began their march back to Malden with those prisoners able to walk on the 22nd, again presumably over Hull's road, including the corduroy section north of the Huron, arriving on the 23rd (McAfee, 216-22). Detroit and all of Michigan Territory remained firmly in British hands for much of 1813.

On September 10, 1813, Commodore Oliver H. Perry's fleet defeated a British squadron under the command of Capt. Robert H. Barclay in western Lake Erie, leaving the lake under American control. "The battle was the most important fought on the Great Lakes during the war. It changed the balance of power in the West and enabled the United States to recover all that it had lost in 1812" (Hickey, 135). Perry's action was part of a new American plan for retaking Detroit and invading Upper Canada via Fort Malden that was well under way by July 1813.

In the wake of the British defeat on Lake Erie, British forces in the Detroit region withdrew into Upper Canada (Ontario). By late September Gen. William Henry Harrison, who had replaced Hull as the American military commander in the Northwest, recruited an army of about 4500 men, including regulars plus Kentucky militia, that gathered near today's Sandusky, Ohio. Using Perry's ships, the force sailed from Middle Sister Island September 27 and camped that evening at Fort Malden, already abandoned and destroyed by the British (McAfee, 362-70). Part of the army crossed over to Detroit

Hull's Trace North Huron River Corduroy
Segment

Wayne Co., MI

Name of Property

County and State

on the 29th and "on the same evening general Harrison issued his proclamation for re-establishing the civil government of the territory" (McAfee, 374). Leaving troops to protect Detroit from the threat of Indian attack, the larger part of Harrison's forces set out October 2nd after the retreating British force, catching up with them near Moraviantown, Upper Canada, about eighty miles east of Detroit. On October 5, 1813, the Americans defeated the British at this Battle of the Thames, leaving most of the Northwest in American hands (McAfee, 381-96).

A second part of Harrison's force, 500 mounted Kentucky riflemen under Lt.-Col. James Johnson quartered at Fort Meigs, south of today's Toledo, Ohio, received orders from Gen. Harrison September 25 to march to Detroit via the River Raisin to participate in the operation with the other American force that would be landing on the opposite (Canadian) shore. Johnson's troops marched on the 26th and reached the Raisin two days later (McAfee, 377; Gilpin, 218-19). The next morning, according to Capt. Robert McAfee, who was there as part of the force, "A detachment of 100 men was now sent in advance to the river Huron, to throw a bridge over that stream for the passage of the troops; who arrived, and partly crossed it in the evening; and the balance, with the baggage wagons and artillery, crossed in the morning, on the floating bridge which had been prepared for them" (McAfee, 378). The force reached Detroit on the 30th and two days later joined in the pursuit of the British troops retreating from Fort Malden (McAfee, 377-82). Presumably Johnson's troops, with their baggage wagons and artillery, would have used Hull's road, with its corduroy passage through the swamp north of the Huron River. It is not unreasonable to think that whatever temporary bridge across the Huron Hull's troops hurriedly built in late June or early July 1812 might have already disintegrated or been intentionally destroyed.

The Road Segment after the War of 1812

Rather than creating a true highway between Detroit and today's Toledo area, Hull's troops made only minimal improvements over the old bridle path described by Farmer, and much of that work probably soon became unusable. With the war over, troops from Detroit began work on a new military road connecting Michigan Territory with Ohio. A report in the *Niles' Register* of January 3, 1818, quoted "A letter from Detroit, of 28th November last, that nearly fifty miles of the military road have been made since August last, by the troops stationed at that place. This road extends from Detroit to within about ten miles of the Black Swamp. Notwithstanding the obstacles which opposed, many good bridges have been built, and the immense labor performed is said to reflect much credit on the officers and soldiers who were engaged in the arduous undertaking." This road reused at least parts of Hull's road, including the corduroy road segment north of the Huron River. The work done in the 1816-17 period may have included the first filling operations that have since raised the road surface of today's Jefferson Avenue a meter and more above the corduroy.

The glowing report in *Niles' Register* may have been overly optimistic. Farmer (925) claimed that only thirty miles (i.e. as far as Monroe) were actually built. In 1824 in response to a new round of complaints about the road being impassable, Congress appropriated \$20,000 to construct a new road. The route was surveyed by November 1824, and contracts for part of the work made the following spring. The work then done included the twenty-one miles commencing two miles north of Brownstown south to "four or five miles past the River Raisin," thus including the section north of the Huron River encompassed by the corduroy road (*Michigan Herald* 1825).

Territorial governor Lewis Cass, in requesting additional funds to complete the work, explained its importance: "It is the connecting link between the territory of Michigan and the more settled portion of the Union. It is essential to the prosperity of the country in peace, and to its security in war." Congress appropriated another \$12,000 in the spring of 1827 (Dain, 43). This road mainly followed the 1816-17 military road, the River Road, or Jefferson Avenue. This location has remained the right of way of Jefferson Avenue down to the present. Responsibility for maintaining "the turnpike" was turned over to local control in 1828. Successive improvements at the corduroy road location north of the Huron River have added more fill, raising the road level, while leaving Hull's corduroy road intact beneath.

Engineering Significance of the Corduroy Road Segment

Historical accounts make clear that Hull's Road included various segments of corduroy road in today's Ohio and Michigan, perhaps adding up to miles of it. Corduroy road construction was recognized by early road-building authorities as a serviceable expedient for opening roads through swampy ground in newly settled areas, and was likely extensively used in the early days of settlement in Michigan. But nineteenth-century road-building manuals such as W. M. Gillespie's *A Manual of the Principles and Practice of Road-Making* (1847) barely touch on the technique and did not encourage its use as more than a temporary expedient. The following is the entirety of Gillespie's discussion of the subject:

Hull's Trace North Huron River Corduroy
Segment
Name of Property

Wayne Co., MI
County and State

When a road passes over soft swampy ground, always kept moist by springs, which cannot be drained without too much expense, and which is surrounded by a forest, it may be cheaply and rapidly made passable, by felling a sufficient number of trees, as straight and as uniform in size as possible, and laying them side by side across the road at right angles to its length. This arrangement is well known under the name of a "*Corduroy*" road, of which the figure gives a top and end view. Though its successive hills and hollows offer great resistance to draught, and are very unpleasant to persons riding over, it is nevertheless a very valuable substitute for a swamp, which in its natural state would at times be utterly impassible. But necessary and desirable as these roads may be to accomplish such an end in the infancy of settlement, their retention upon a great thoroughfare is a disgraceful proof of indolence and want of enterprise in those who habitually travel over them; though several instances might be specified (228).

Another manual, Q. A. Gillmore's *A Practical Treatise on Roads, Streets, and Pavements*, published in 1876, after prefacing its discussion of corduroy roads with the statement that such "scarcely deserve the name of roads," provides more specifics on construction techniques. It explained that a corduroy road should usually be about fifteen or sixteen feet wide,

so that two vehicles can pass each other upon it without interference. The logs are all cut to the same length, which should be that of the required width of the road, and in laying them down such care in selection should be exercised, as will give the smallest joints or openings between them. In order to reduce as much as possible the resistance to draught and the violence of the repeated shocks to which vehicles are subjected upon these roads, and also to render its surface practicable for draught animals, it is customary to level up between the logs with smaller pieces of the same length but split to a triangular cross-section. These are inserted with edges downward, in the open joints, so as to bring their top surfaces even with the upper sides of the large logs, or as nearly so as practicable. Upon the bed thus prepared a layer of brushwood is put, with a few inches in thickness of soil or turf on top to keep it in place (79-80).

Gillmore, a lieutenant-colonel in the U. S. Army Corps of Engineers, was presumably describing state-of-the-art construction for the time that would have provided a far more finished road surface than Hull's forces, building hurriedly in an emergency situation, could have accomplished. The structure of the nominated segment of corduroy road beyond the large logs laid crosswise – whether smaller logs between the larger ones, brush, and fill on top were used – is not currently known.

The nominated feature represents a rare known surviving, and accessible, example of the corduroy road building technique in the Great Lakes region. These roads represented a very early stage of road improvement. By their very nature, corduroy roads built across marshy ground usually rot away, are buried under subsequent filling and paving, or are removed altogether during the course of later roadway improvements. Current-day road-building standards would not permit retention of such wooden structures when new construction is undertaken at their sites. Most corduroy road structures were probably destroyed in the course of past road reconstruction projects that did not require compliance with Section 106 of the National Historic Preservation Act of 1966. In Michigan only one other piece of corduroy road, a ten-meter long section underlying Grand River Avenue in East Lansing uncovered in 1997, has been discovered and studied in recent years (Dunham et al. 1997). Known surviving examples elsewhere in the Great Lakes region are also rare. One short example in Fond du Lac County, Wisconsin, constructed in the 1830s as part of a federal military road, has been studied (Behm 1991). The nominated approximately 380-meter long section of corduroy road underlying Jefferson Avenue north of the Huron River is a remarkable survival and possibly unique in its length.

Archaeological Significance

As recently as 1915, remnants of Hull's Road or Trace were observable in Ohio (Kennedy 1915). All are described as being in open and dry country, where special techniques such as corduroy would not have been used. Enquiries to the State Historic Preservation Office in Ohio, as well as to county historical associations along Hull's route in Ohio, produced a total of eight commemorative markers associated with Hull: one each in Hancock and Logan counties, two in Champaign, and four in Hardin. None of these commemorative sites actually preserves the road itself in an exposed or interpretable condition. It appears that only the nominated segment represents an example of the original construction, where the materials and the process of their deposition may be studied and interpreted.

Hull's Trace North Huron River Corduroy
Segment

Wayne Co., MI

Name of Property

County and State

No previous formal survey or excavation of the feature has been undertaken, although it has been referenced in popular literature as long ago as 1936 (Hines 1936; Halsey 2000). The 1997 East Lansing excavation (Dunham et al. 1997) appears to be the only formally documented excavation of a corduroy road segment in the Great Lakes region. Prior to the passage of the National Historic Preservation Act (NHPA) of 1996, such excavation and site destruction would have proceeded routinely and without scientific documentation. An extensive literature search produced only one other documented instance of the excavation of a corduroy road since the NHPA: a six-log segment discovered in Annapolis, Maryland, in 2008, and currently being investigated under Dr. Mark Leone of the University of Maryland.

The key elements of the nominated feature are the substrate, the logs themselves, and the overburden, especially the lower layers. Individually and collectively, they offer the potential to reconstruct the pre-deposition landscape, the process of initial site formation, and the improvement and evolution of the feature into a modern roadway.

Landscape reconstruction: Minimally destructive techniques such as soil core analysis may shed light on the original landform of the Huron River mouth. The intermittent deposition of logs suggests multiple channels separated by raised hummocks or sandbars, very different from today's configuration. Soil type and vegetation analysis may provide data on the hydrology and ecology of the zone. Comparison of substrate cores between corduroy and non-corduroy areas may provide insight on the factors influencing the decision to employ the corduroy technique.

Initial site formation and subsequent developments: Additional minimally destructive or non-destructive techniques such as ground penetrating radar, tool mark analysis, tree speciation, and dendrochronological dating should provide data on the full extent and structure of the feature and the process of site formation.

Developmental history/additional historic context information (if appropriate)

9. Major Bibliographical References

Bibliography (Cite the books, articles, and other sources used in preparing this form.)

An Act for laying out and opening a road from the city of Detroit to the foot of the rapids of the Miami, which enters into Lake Erie (Dec. 15, 1808). *Laws of the Territory of Michigan*, 4. Lansing, 1884. 35-36.

Bald, F. Clever. *Detroit's First American Decade: 1796-1805*. Ann Arbor: University of Michigan Press, 1948.

Catlin, George B. "Michigan's Early Military Roads." *Michigan History Magazine*, Vol. 13, no. 2 (1929). 196-207.

Behm, Jeffery A. "The Raube Road Site (47-FD-282): A Remnant of the Military Road in Fond du Lac County, Wisconsin." *Fox Valley Archaeology*, No. 17. Oshkosh, WI: Robert Ritzenthaler Chapter, Wisconsin Archaeological Society, Jan. 1991. 1-8.

Carter, Clarence Edwin, ed. *Territorial Papers of the United States. Vol. X: The Territory of Michigan, 1805-1820*. Washington, DC: Government Printing Office, 1942.

Hull's Trace North Huron River Corduroy
Segment

Wayne Co., MI

Name of Property

County and State

Christian, Dr. E. P. "Historical Associations Connected with Wyandotte and Vicinity." In Michigan Pioneer and Historical Society, *Historical Collections*, Vol. 13, 2nd ed. (1908). 308-24.

Clarke, James Freeman. *History of the Campaign of 1812, together with the Surrender of the Post of Detroit*. NY: D. Appleton, 1858.

Dain, Floyd Russell. *Every House a Frontier: Detroit's Economic Promise, 1815-1825*. Detroit: Wayne State University Press, 1956

Dunham, Sean B.; John M. Gram; and Mark C. Branstner. *M-43/Grand River Avenue, East Lansing, Michigan: The Lansing and Howell Plank Road, a Data Recovery Effort*. Williamston, MI: Great Lakes Research Associates, 1997.

Dunnigan, Brian Leigh. *Frontier Metropolis: Picturing Early Detroit, 1701-1838*. Detroit: Wayne State University Press, 2001.

Farmer, Silas. *History of Detroit and Wayne County and Early Michigan*. 1890 [reprint by Gale Research Co., Detroit, 1969].

Gillespie, W. M. *A Manual of the Principles and Practice of Road-Making: Comprising the Location, Construction, and Improvement of Roads (Common, Macadam, Paved, Plank, Etc.) and Railroads*. NY: A. S. Barnes & Co., 1847.

Gillmore, Q. A. *A Practical Treatise on Roads, Streets, and Pavements*. 6th ed. NY: D. Van Nostrand, 1888 [originally published 1876].

Griffin, Henry A. "The City of the Straits." *Magazine of Western History*, Vol. 2 (May-Oct. 1885). Cleveland, OH: William W. Williams. 571-81.

Halsey, John R. "The River Road Rises." *Michigan History Magazine*, Vol. 84, no. 5 (2000). 22-26.

Harrison, William Henry. Harrison to [William] Eustis [Secretary of War] 27 Sept. 1812. Reproduced in *Ohio Fundamental Documents* (electronic database), <http://ohiohistory.org>.

Hickey, Donald R. *The War of 1812: A Forgotten Conflict*. Urbana: University of Illinois Press, 1989.

Hines, Edward N. "An Indian Trail Becomes a Highway: a History of the River Road." *Motor News*, Nov. 1936. 20-21, 52-53.

Hull, William. Brig. Gen. Wm. Hull to Hon. Wm. Eustis. In Michigan Pioneer and Historical Society, *Historical Collections*, Vol. 25 (1896). 327-28.

Kennedy, Robert P. (Gen.). "Hull's Trace or Trail." *Ohio History*, Vol. 24 (1915). 583-87.

Latimer, Jon. *1812: War with America*. Cambridge, MA: Belknap Press of Harvard University Press, 2007.

Lucas, Robert. *The Robert Lucas Journal of the War of 1812 During the Campaign under General William Hull*. Iowa City, IA: State Historical Society of Iowa, 1906.

Macomb, Alexander. Alexander Macomb to the Secretary of War, 23 Nov. 1816. In Clarence Edwin Carter, ed., *The Territorial Papers of the United States*, Vol. X. Washington, DC: Government Printing Office, 1942. 670.

McAfee, Robert B. *History of the Late War in the Western Country*. 1816 [Readex Microprint Corp. reprint, 1966].

Michigan Herald. United States' Road from Detroit to Fort Meigs. 22 October 1825. Reprinted in *Inland Seas*, Vol. 11, no. 2. 135.

Hull's Trace North Huron River Corduroy
Segment

Wayne Co., MI

Name of Property

County and State

Naveaux, Ralph. *Invaded on All Sides: The Story of Michigan's Greatest Battlefield, Scene of the Engagements at Frenchtown and the River Raisin in the War of 1812*. 2008.

Niles' Weekly Register. A Letter from Detroit. Vol. 13, 312. 3 Jan. 1818.

Pioneer Society of the State of Michigan. *Collections*, 8 (2nd ed.). Lansing, MI, 1907. 625-26, 629-31.

Powell, William H. "The Story of a Flag. An Historical Sketch of the Battle of 'Tippecanoe' and 'Hull's Surrender' of Detroit." *The United Service. A Monthly Review of Military and Naval Affairs*, Vol. 1, no. 3 (March 1889). 229-52.

Pratt, G. Michael; William E. Rutter; Theodore J. Ligibel; Jeffrey L. Green/River Raisin Battlefield NHL Team. *River Raisin Battlefield National Historic Landmark Nomination (Draft)*. 2009.

Quaife, Milo M. "The Story of Brownstown." In *Burton Historical Collection Leaflet*, Vol. 4, no. 5 (1926). 65-80.

Previous documentation on file (NPS):

☐ preliminary determination of individual listing (36 CFR 67 has been requested)
☐ previously listed in the National Register
☐ previously determined eligible by the National Register
☐ designated a National Historic Landmark
☐ recorded by Historic American Buildings Survey # _____
☐ recorded by Historic American Engineering Record # _____
☐ recorded by Historic American Landscape Survey # _____

Primary location of additional data:

☐ State Historic Preservation Office
☐ Other State agency
☐ Federal agency
☐ Local government
☐ University
☐ Other

Name of repository: _____

Historic Resources Survey Number (if assigned): _____

10. Geographical Data

Acreage of Property 4.3

(Do not include previously listed resource acreage.)

UTM References

(Place additional UTM references on a continuation sheet.)

1 17 316759 4656941
Zone Easting Northing

3 17 316960 4657259
Zone Easting Northing

2 17 316910 4657287
Zone Easting Northing

4 17 316804 4656905
Zone Easting Northing

Hull's Trace North Huron River Corduroy
Segment

Name of Property

Wayne Co., MI

County and State

Verbal Boundary Description (Describe the boundaries of the property.)

The property is an elongated rectangle, 1250 feet by 150 feet, with its long sides oriented along West Jefferson Avenue, on a bearing of 23 degrees (true). The southwest corner (point "1") is formed by the western end of the southernmost log in the structure. The northwest point (point "2") is formed by the western end of the northernmost log in the structure. Point "3" is defined as that point directly opposite point "2" across West Jefferson Avenue, and of equal distance from the centerline of West Jefferson Avenue as point "2." Point "4" is defined as that point directly opposite point "1" across West Jefferson Avenue, and of equal distance from the centerline of West Jefferson Avenue as point "1."

Boundary Justification (Explain why the boundaries were selected.)

Boundaries selected enclose all visible remnants of the historic structure, and allow for the presence of additional structural elements under the overburden formed by the West Jefferson Avenue embankment.

11. Form Prepared By

name/title Daniel F. Harrison, M.A., M.L.S., Librarian and Historian
Robert O. Christensen, national register coordinator

organization Henry Ford Community College/MI SHPO

date August 2010

street & number 28803 Nine Mile Road

telephone 248/476-7148 & 517/335-2719

city or town Farmington Hills

state MI

zip code 48336-4911

e-mail dharrishn@hfcc.edu christensenr@michigan.gov

Additional Documentation

Submit the following items with the completed form:

- **Maps:** A **USGS map** (7.5 or 15 minute series) indicating the property's location.
A **Sketch map** for historic districts and properties having large acreage or numerous resources. Key all photographs to this map.
- **Continuation Sheets**
- **Additional items:** (Check with the SHPO or FPO for any additional items.)

Photographs:

Submit clear and descriptive photographs. The size of each image must be 1600x1200 pixels at 300 ppi (pixels per inch) or larger. Key all photographs to the sketch map.

Name of Property: Hull's Trace North Huron River Corduroy Segment

City or Vicinity: Brownstown Township

Hull's Trace North Huron River Corduroy
Segment

Wayne Co., MI

Name of Property

County and State

County: Wayne State: MI

Photographer: Daniel F. Harrison

Date Photographed: August 19, 2009

Description of Photograph(s) and number:

1 of 6: Southern end of feature looking SW. Logs in foreground are part of corduroy road remnant of Hull's Trace. Logs are emerging from embankment supporting West Jefferson Avenue (outside frame on left). Additional logs are submerged. Ridge in background is Harbin Drive over Silver Creek. Huron River is visible beyond bridge.

Michigan_Wayne_HullsTrace_0001.tif

2 of 6: View of feature looking NE from Harbin Drive bridge. Emergent logs visible above waterline. Logs are emerging from heavily vegetated embankment supporting West Jefferson Avenue, on right. Additional logs are submerged. Bridge visible in upper-left corner is Leeland Street crossing Silver Creek.

Michigan_Wayne_HullsTrace_0002.tif

3 of 6: View of a group of emergent logs, looking E towards heavily vegetated embankment supporting West Jefferson Avenue, in background. Scale bar is 50 centimeters in length. Flagging tape is part of a non-destructive archaeological survey in progress at time of photograph.

Michigan_Wayne_HullsTrace_0003.tif

4 of 6: View of a pair of submerged logs, looking SE across the feature from Silver Creek. Logs are emerging from heavily vegetated embankment, visible in background, supporting West Jefferson Avenue. Scale bar is 50 centimeters in length.

Michigan_Wayne_HullsTrace_0004.tif

5 of 6: View of River View Park, a unit of Wayne County Parks, looking SE from West Jefferson Avenue east towards Lake Erie. Park entrance drive is on left. Structure in center is a picnic shelter with two flush toilets. Seawall along shoreline is topped by wooden boardwalk with railing. Two-ramp boat launch is on right, outside of frame.

Michigan_Wayne_HullsTrace_0005.tif

6 of 6: View of mouth of Huron River, emptying into Lake Erie, looking SW from parking lot of River View unit of Wayne County Parks. Boat launch ramps in foreground, Lake Pointe Marina (private) in distance, across river. Boardwalk/fishing access on left and right.

Property Owner:

(Complete this item at the request of the SHPO or FPO.)

name Robert Conrad, Director, Roads Division, Wayne County Commission

street & number 415 Clifford Street

telephone

city or town Detroit

state MI

zip code 48226-1518

Paperwork Reduction Act Statement: This information is being collected for applications to the National Register of Historic Places to nominate properties for listing or determine eligibility for listing, to list properties, and to amend existing listings. Response to this request is required to obtain a benefit in accordance with the National Historic Preservation Act, as amended (16 U.S.C.460 et seq.).

Estimated Burden Statement: Public reporting burden for this form is estimated to average 18 hours per response including time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding this burden estimate or any aspect of this form to the Office of Planning and Performance Management, U.S. Dept. of the Interior, 1849 C. Street, NW, Washington, DC.

Hull's Trace North Huron River Corduroy
Segment
Name of Property

Wayne Co., MI
County and State

Photographs:



City or Vicinity: Rockwood

County: Wayne

State: Michigan

Photographer: Daniel F. Harrison

Date Photographed: August 19, 2009

Description of Photograph(s) and number: Looking south along the outer edge of the structure towards Point "1." Bridge in distance is Harbin Road, crossing the mouth of Silver Creek as it joins the Huron River.

1 of 6.

Hull's Trace North Huron River Corduroy
Segment

Name of Property

Wayne Co., MI

County and State



City or Vicinity: **Rockwood**

County: **Wayne**

State: **Michigan**

Photographer: **Daniel F. Harrison**

Date Photographed: **August 19, 2009**

Description of Photograph(s) and number: **Looking north along the outer edge of the structure. Photo is taken from Harbin Drive bridge. Bridge in distance is Leeland Street, crossing Silver Creek.**

2 of 6.

Hull's Trace North Huron River Corduroy
Segment

Name of Property

Wayne Co., MI

County and State



City or Vicinity: Rockwood

County: Wayne

State: Michigan

Photographer: Daniel F. Harrison

Date Photographed: August 19, 2009

Description of Photograph(s) and number: Looking east along a group of exposed logs that form the structure. Photo is taken from Silver Creek. Scale bar is 50 cm in length. Flagging tape is part of a survey in progress at time of photograph.

3 of 6.

Hull's Trace North Huron River Corduroy
Segment
Name of Property

Wayne Co., MI
County and State



City or Vicinity: **Rockwood**

County: **Wayne**

State: **Michigan**

Photographer: **Daniel F. Harrison**

Date Photographed: **August 19, 2009**

Description of Photograph(s) and number: **Looking southeast at a pair of submerged logs. Photo is taken from Silver Creek. Scale bar is 50 cm in length.**

4 of 6.

Hull's Trace North Huron River Corduroy
Segment

Name of Property

Wayne Co., MI

County and State



City or Vicinity: **Rockwood**

County: **Wayne**

State: **Michigan**

Photographer: **Daniel F. Harrison**

Date Photographed: **August 19, 2009**

Description of Photograph(s) and number: **Looking east at the River View unit of Wayne County Parks. Park is directly across West Jefferson Avenue from property. Photo is taken from east shoulder of West Jefferson Avenue.**

5 of 6.

Hull's Trace North Huron River Corduroy
Segment

Name of Property

Wayne Co., MI

County and State



City or Vicinity: Rockwood

County: Wayne

State: Michigan

Photographer: Daniel F. Harrison


Date Photographed: August 19, 2009

Description of Photograph(s) and number: Looking south at the mouth of the Huron River. Boat ramp in foreground is located in River View unit of Wayne County Parks. Marina across the Huron River is Lake Pointe Marina. Photo is taken from River View Park parking lot.

6 of 6.

Hull's Trace North Huron River Corduroy
Segment
Name of Property

Wayne Co., MI
County and State



Hull's Trace North Huron River Corduroy
Segment
Name of Property

Wayne Co., MI
County and State

